UK-1500 PART "A"

FILE NO.: DATE: 09/17/2024

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: UK-1500 Part "A"

SYNONYMS: PRODUCT CODES:

MANUFACTURER: Absolute Concrete Products

DIVISION:

ADDRESS: 144 S. Main St. Union, OR 97883

EMERGENCY PHONE: 1-800-535-5053 (24 Hour)

INFOTRAC PHONE: +1-352-323-3500 or 1-800-535-5053

OTHER CALLS: (541) 562-2000

SECTION 2: HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES:

Causes serious eye irritation

SKIN:

Causes skin irritation

May cause an allergic skin reaction

INHALATION:

May cause respiratory irritation

SECTION 2 NOTES:

Combustible

Severe eye irritant

Severe respiratory irritant

May cause sensitization by skin contact

Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma, and neurological disorders.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 3 NOTES:

This product may contain additional ingredients that are classified as non-hazards or at a very small concentration that do not meet the regulatory concentration limits for disclosure.

SECTION 4: FIRST AID MEASURES

EYES:

Immediately flush eyes with plenty of water for at least 20 minutes.

Check and remove any contact lenses. Continue rinsing.

Get medical attention if irritation persists.

SKIN:

Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water for at 20 minutes.

Get medical attention if irritation develops or persists.

INGESTION:

Never give anything by mouth to an unconscious person.

DO NOT induce vomiting. Rinse mouth with water.

Get medical attention immediately.

INHALATION:

Move to fresh air and keep at rest in a position comfortable for breathing.

If not breathing or breathing is irregular, provide artificial respiration or give oxygen by trained personnel.

Get medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

Application of corticosteroid cream has been effective in treating skin irritation.

UK-1500 PART "A" **DATE:** 09/17/2024

SECTION 4 NOTES:

Call a POISON CENTER or doctor/ physician if you feel unwell.

If skin irritation or rash occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Move out of dangerous area. Consult a physician with this SDS. Seek medical advice. If breathing has stopped or is labored, give assisted respirations.

FILE NO .:

Supplemental oxygen may be indicated.

If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.

SECTION 5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide.

For large fires, apply water from as far as possible.

Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective.

Cool all affected containers with flooding quantities of water.

SPECIAL FIRE FIGHTING PROCEDURES:

Downwind personnel must be evacuated.

Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if necessary

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Incomplete combustion may form carbon monoxide.

May generate ammonia gas. May generate toxic nitrogen oxide gases.

Burning produces noxious and toxic fumes.

SECTION 5 NOTES:

Combustible Liquid

Do not allow run-off from firefighting to enter drains or water courses.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

Discharge into the environment must be avoided.

Soak up with inert absorbent material and dispose of as hazardous waste.

SECTION 6 NOTES:

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Keep container tightly closed.

Store in a well-ventilated cool place. Keep container tightly closed. Store locked up.

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Put on appropriate personal protective equipment before handling.

Keep away from sources of ignition - No smoking.

Take measures to prevent the buildup of electrostatic charge.

Store in cool place.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below recommended exposure limits.

RESPIRATORY PROTECTION:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

UK-1500 PART "A" **DATE:** 09/17/2024

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

FILE NO .:

EYE PROTECTION:

Tightly fitted safety goggles.

Face shield (8-inch minimum).

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

SKIN PROTECTION:

Wash skin thoroughly after handling.

Handle with gloves. Gloves must be inspected prior to use.

Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands after handling or before eating, drinking, or smoking.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.

Impervious clothing.

Closed-toe shoe.

Flame retardant anti-static protective clothing.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards.

WORK HYGIENIC PRACTICES:

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Eating, drinking and smoking should be prohibited in areas where this material is handled.

Wash hands thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

SECTION 8 NOTES:

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Amber

ODOR:

Solvent

PHYSICAL STATE:

Viscous liquid

pH AS SUPPLIED:

No data available

FLASH POINT:

Method Used: Closed cup

F: 172 C: 78

BOILING POINT: No data available

MELTING POINT: No data available

FREEZING POINT: No data available

VAPOR PRESSURE (mmHg): No data available

VAPOR DENSITY (AIR = 1): No data available

PAGE 3 OF 5

UK-1500 PART "A"

FILE NO.:

DATE: 09/17/2024

RELATIVE DENSITY:

1.010 g/cm3

F: 77 C: 25

SPECIFIC GRAVITY (H2O = 1): No data available

@

F: C:

EVAPORATION RATE: No data available

VISCOSITY:

50-150 CPS

F: 77

C: 25

SECTION 10: STABILITY AND REACTIVITY

STABLE

UNSTABLE

X

STABILITY:

Stable under recommended storage conditions

CONDITIONS TO AVOID (STABILITY):

Heat, flames, sparks, and oxidizing agents

INCOMPATIBILITY (MATERIAL TO AVOID):

Reactive metals (Sodium, Calcium, Zinc, etc.)

Materials reactive with hydroxyl compounds

Organic acids (acetic acid, citric acid, etc.)

Mineral acids

Sodium hypochlorite

Product slowly corrodes copper, aluminum, zince, and galvanized surfaces.

Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion

Oxidizing agents

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:

Nitric acid

Ammonia

Nitrogen oxides (NOx)

Nitrogen oxide can react with water vapors to form corrosive nitric acid

Carbon monoxide

Carbon dioxide (CO2)

Aldehydes

Flammable hydrocarbon fragments

HAZARDOUS POLYMERIZATION:

SECTION 11: TOXICOLOGICAL INFORMATION

SECTION 11 NOTES:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

Aquatic Life No data available
Persistence and Degradability No data available
Bio accumulative Potential No data available
Mobility in Soil No data available

Results of PBT and vPvB Assessment
Other Adverse Effects

No data available as chemical safety assessment not required/not conducted An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 12 NOTES:

Toxic to aquatic life with long lasting effects.

PAGE 4 **OF** 5

UK-1500 PART "A"

FILE NO.: DATE: 09/17/2024

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Dispose of contents/ container to an approved waste disposal plant.

Keep in suitable, closed containers for disposal.

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

This product should not be allowed to enter drains, water courses or the soil

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contact supplier if guidance is required.

SECTION 13 NOTES:

Dispose of container and unused contents in accordance with federal, state, and local requirements

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

Not Dangerous Goods

SECTION 14 NOTES:

IMO/IMDG Not Dangerous Goods ICAO/IATA Not Dangerous Goods

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

Inventory: All Components are listed or exempt from listing on the Toxic Substances Control Act Inventory. Export:None above reporting de minimus

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

311/312 HAZARD CATEGORIES:

Acute health hazard Yes
Chronic health hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive hazard No

313 REPORTABLE INGREDIENTS:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

STATE REGULATIONS:

California Prop. 65 Components: This product may contain chemical known to the State of California to cause birth defects or other reproductive harm.

INTERNATIONAL REGULATIONS:

CANADA: CEPA DSL/NDSL Status: All components are listed or exempt from listing on the Domestic Substances List.

SECTION 16: OTHER INFORMATION

DISCLAIMER:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.